
USB Users:

Works directly with most USB Stick compatible embroidery machines. To access the designs, insert the USB stick into your embroidery machine (if applicable). Refer to your machine's user manual for instructions on using a USB stick. If your embroidery machine does not access designs from a USB stick, then insert the stick into your USB compatible personal computer. Access the information from MY COMPUTER.

CD Users:

Insert the CD into your embroidery machine's CD reader (if applicable). Refer to your machine's user manual for instructions on using a CD. If your embroidery machine does not access designs from a CD, then insert the CD into your personal computer. The CD should autorun, if it does not, access the information from MY COMPUTER and double click on "autorun.exe"


NOTE: It is not recommended that these designs be scaled. If you must scale a design and it is a multi-hoop design you must scale all pieces the same percentage to ensure that the pieces of the final fish will line up properly.



CC83603 Othello

Size Inches: 4.86w x 5.74h


Size mm: 123.44w x 145.80h Stitch Count: 6,244



	I	S
1 Bottom Fin & Face Guide Stitch	0015	1002
2 Bottom Fin & Face Tack Down	5510	1049
3 Bottom Fin Cover Stitch	7002	7018
4 Top Fin Guide Stitch	0015	1002
5 Top Fin Tack Down	1521	1020
 6 Top Fin Cover Stitch 	7007	7011
7 Front Stripe Guide Stitch	0015	1002
8 Front Stripe Tack Down	1430	1259
9 Front Stripe Cover Stitch	1304	1078
■ 10 Face Cover Stitch	7002	7018
☐ 11 Second Stripe Guide Stitch	0015	1002
12 Second Stripe Tack Down	3901	1534
13 Second Stripe Cover Stitch	7000	7016
☐ 14 Bottom Stripe Guide Stitch	0015	1002
15 Bottom Stripe Tack Down	1902	1147
16 Bottom Stripe Cover Stitch	7024	7014
☐ 17 Third Stripe Guide Stitch	0015	1002
18 Third Stripe Tack Down	1521	1020
19 Third Stripe Cover Stitch	7007	7011
☐ 20 Bottm Tip of Tail Guide Stitch	0015	1002
21 Bottm Tip of Tail Tack Down	5415	1101
22 Bottm Tip of Tail Cover Stitch	7002	7018
☐ 23 Center Section of Tail Guide Stitch	0015	1002
24 Center Section of Tail Tack Down	0311	1124
25 Center Section of Tail Cover Stitch	7001	7005
26 Longest Stripe Guide Stitch	0015	1002
27 Longest Stripe Tack Down	2830	1032
28 Longest Stripe Cover Stitch	7027	7050
29. Top Row of Glitz Settings & Eye	7008	7007
30. Bottom Row of Glitz Settings	7005	7009

CC83604 Xavier


Size Inches: 4.89w x 5.77h Size mm: 124.21w x 146.56h Stitch Count: 7,086



		1	U
 1	Face Guide Stitch	0015	1002
2	Face Tack Down	1600	1020
3	Mouth	0132	1220
4	Face Cover Stitch	7048	7054
5	Top Fin Guide Stitch	0015	1002
6	Top Fin Tack Down	1703	1037
7	Top Fin Cover Stitch	7004	7014
8	Bottom Fins & Tail Guide Stitch	0015	1002
9	Bottom Fins & Tail Tack Down	1300	1078
1 0	Bottom Fins & Tail Cover Stitch	7007	7011
11	Body Guide Stitch	0015	1002
1 2	Body Tack Down	1900	1039
1 3	Body Cover Stitch	7024	7014
14	Side Fin Guide Stitch	0015	1002
1 5	Side Fin Tack Down	1220	1238
16	Side Fin Cover Stitch	7030	7042
1 7	Glitz Settings & Eye	7001	7005
18	Bead Settings	7005	7009

CC83605 Yancy

Size Inches: $4.69 w \times 7.03 h$ Size mm: 119.13w x 178.56h Stitch Count: 11,795



		1	S
 1	Top & Bottom Fins Guide Stitch	0015	1002
2	Top & Bottom Fins Tack Down	7005	7009
□ 3	Top & Bottom Fins Cover Stitch	8024	Jewel Tones Varigated
□ 4	Tail Guide Stitch	0015	1002
_ 5	Tail Tack Down	3900	1534
6	Tail Cover Stitch	7000	7016
 7	Blue Stripes Guide Stitch	0015	1002
8	Blue Stripes Tack Down	3900	1534
9	Blue Stripes Cover Stitch	7044	7016
1 0	Orange Stripes Guide Stitch	0015	1002
1 1	Orange Stripes Tack Down	1220	1238
1 2	Orange Stripes Cover Stitch	7007	7011
1 3	Pink Stripes Guide Stitch	0015	1002
1 4	Pink Stripes Tack Down	2550	1224
1 5	Pink Stripes Cover Stitch	7030	7042
1 6	Base of Tail Guide Stitch	0015	1002
1 7	Base of Tail Tack Down	2830	1032
1 8	Base of Tail Cover Stitch	7025	7012
1 9	Face Guide Stitch	0015	1002
2 0	Face Tack Down	0800	1137
21	Face Cover Stitch	7001	7005
22	Small Outer Glitz Settings	7011	7007
23	Large Center Glitz Settings & Eye	7029	7041

CC83606 Nancy 1 of 3

Size Inches: $3.39 \le x 6.22 h$


Size mm: 86.11w x 157.99h Stitch Count: 4,075



1	Large Fin Guide Stitch	0015	1002
2	Large Fin Tack Down	4620	1046
3	Large Fin Cover Stitch	7037	7053
4	Small Fin Guide Stitch	0015	1002
5	Small Fin Tack Down	5115	1046
6	Small Fin Cover Stitch	7049	7025
7	Glitz Settings on Large Fin	7029	7041
8	Glitz Settings on Small Fin &		
	Bead Settings	7011	7007
9	Registration Marks	1900	1039
10	Registration Marks	3611	1535

CC83607 Nancy 2 of 3

Size Inches: 3.48w x 4.22h



Size mm:

Stitch Count: 3,902

1	Registration Marks	1900	1039
2	Large Fin Guide Stitch	0015	1002
3	Large Fin Tack Down	4620	1046
4	Large Fin Cover Stitch & Details	7037	7053
5	Small Fin Guide Stitch	0015	1002
6	Small Fin Tack Down	5115	1046
7	Small Fin Cover Stitch	7049	7025
8	Glitz Settings on Large Fin	7029	7041
9	Glitz Settings on Small Fin	7011	7007
10	Registration Marks	3611	1535

S

Ι

CC83608 Nancy 3 of 3

Size Inches: 3.94w x 7.01h

Size mm: 100.08w x 178.05h

Stitch Count: 8.146



1 Registration Marks 3611 1535 2 Front Fin Guide Stitch 0015 1002 3 Front Fin Tack Down 3045 1080 4 Front Fin Cover Stitch 7025 7012 5 Face & Top Fin Edge Guide Stitch 0015 1002 6 Face & Top Fin Edge Tack Down 2550 1224 7 Face & Top Fin Edge Cover Stitch 7023 7012 8 Top Fin Guide Stitch 0015 1002 9 Top Fin Tack Down 3820 1028 ■ 10 Top Fin Cover Stitch 7049 7025 11 Body Guide Stitch 0015 1002 12 Body Tack Down 3910 1249 13 Body Cover Stitch 7037 7053 14 Bottom Fin Edge Guide Stitch 0015 1002 ■ 15 Bottom Fin Edge Tack Down 2550 1224 16 Bottom Fin Edge Cover Stitch 7023 7012 17 Bottom Fin Guide Stitch 0015 1002 18 Bottom Fin Tack Down 3820 1028 ■ 19 Bottom Fin Cover Stitch 7049 7025 **2**0 Lips 2521 1533 = 21 Lips Highlights 2152 1117 **22** Eye 0132 1220 23 Bead Settings on Front Fin 7028 7040 = 24 Bead & Glitz Settings on Top & Bottom Fins 7011 7007 7001 = 25 Glitz Settings on Body & Face 7009

CC83609 Zelda 1 of 4

Size Inches: 4.10w x 6.63h Size mm: 104.14w x 168.40h Stitch Count: 5,227



1	Top Fin Guide Stitch	0015	1002
2	Top Fin Tack Down	2520	1109
3	Top Fin Cover Stitch	7025	7012
4	Body Guide Stitch	0015	1002
5	Body Tack Down	1840	1016
6	Body Cover Stitch	7023	7012
7	Face Guide Stitch	0015	1002
8	Face Tack Down	2155	1115
9	Mouth Line	2224	1190
10	Face Cover Stitch	7034	7042
11	Whiskers Guide Stitch	0015	1002
12	Whiskers Tack Down	2160	1064
13	Whiskers Cover Stitch	7009	7001
14	Bottom Fin Guide Stitch	0015	1002
1 5	Bottom Fin Tack Down	3045	1080
1 6	Bottom Fin Cover Stitch	7025	7012
1 7	Eye & Glitz Settings on Whiskers & Face	7011	7007
18	Registration Marks	7023	7012
= 19	Registration Marks	1900	1039

S


Ι

CC83610 Zelda 2 of 4

Size Inches: 4.17w x 6.71h

Size mm: $105.92 \le 170.43 h$

Stitch Count: 4,242



		I	S
1	Registration Marks	1900	1039
\square 2	Large Fin Guide Stitch	0015	1002
3	Large Fin Tack Down	3045	1080
4	Large Fin Cover Stitch	7027	7050
5	Narrow Fin Guide Stitch	0015	1002
6	Narrow Fin Tack Down	2520	1109
7	Narrow Fin Cover Stitch	7009	7001
8	Glitz Settings on Tips of Large Fin	7011	7007
9	Glitz Settings on Narrow Fin	7025	7012
1 0	Registration Marks	3611	1535
1 1	Registration Marks	5422	1079

CC83611 Zelda 3 of 4

Size Inches: 4.11w x 6.52h Size mm: 104.39w x 165.61h Stitch Count: 4,493



		I	S
1	Registration Marks	3611	1535
\square 2	Large Fin Guide Stitch	0015	1002
3	Large Fin Tack Down	2830	1032
4	Large Fin Cover Stitch	7027	7050
□ 5	Narrow Fin Guide Stitch	0015	1002
6	Narrow Fin Tack Down	2320	1511
7	Narrow Fin Cover Stitch	7009	7001
8	Glitz Settings on Tips of Large Fin	7011	7007
9	Glitz Settings on Narrow Fin	7025	7012
1 0	Registration Marks	5422	1079

Ι

S

CC83612 Zelda 4 of 4

Size Inches: $3.45w \times 7.01h$

Size mm: 87.63w x 178.05h Stitch Count: 1,828




1	Registration Marks	5422	1079
\square 2	Fins Guide Stitch	0015	1002
3	Fins Tack Down	2520	1109
4	Fins Cover Stitch	7009	7001
5	Glitz Settings	7025	7012

Stitch Count:

4,623

CC83613 Mimi

Size Inches: Size mm: 4.91w x 4.94h 124.71w x 125.48h



		Ι	S
 1	Top & Bottom Fins Guide Stitch	0015	1002
2	Top & Bottom Fins Tack Down	5833	1177
3	Top & Bottom Fins Cover Stitch	7002	7018
□ 4	Tail Guide Stitch	0015	1002
5	Tail Tack Down	1902	1147
6	Tail Cover Stitch	7024	7014
 7	Body Guide Stitch	0015	1002
8	Body Tack Down	0184	1218
9	Body Cover Stitch	7009	7001
1 0	Side Fin Guide Stitch	0015	1002
11	Side Fin Tack Down	4240	1204
12	Side FIn Cover Stitch	7032	7041
1 3	Glitz Settings on Fins	7040	7025
14	Eye & Bead Settings on Tail	7030	7042
1 5	Mouth	5326	1208

CC83614 Vanessa

 Size Inches:
 Size mm:
 Stitch Count:

 4.91w x 5.67h
 124.71w x 144.02h
 7,798




1	Top Fin Guide Stitch	0015	1002
2	Top Fin Tack Down	2520	1109
3	Top Fin Cover Stitch	2521	1533
4	Bottom Left Fin Guide Stitch	0015	1002
5	Bottom Left Fin Tack Down	5531	1049
6	Bottom Left Fin Cover Stitch	7040	7025
7	Outer Edge of Tail Guide Stitch	0015	1002
8	Outer Edge of Tail Tack Down	2550	1224
9	Outer Edge of Tail Cover Stitch	7023	7012
10	Inside Mouth	2500	1192
11	Lips	2520	1109
12	Center of Tail Guide Stitch	0015	1002
13	Center of Tail Tack Down	1362	1258
14	Center of Tail Cover Stitch	7030	7042
15	Body Guide Stitch	0015	1002
16	Body Tack Down	5400	1101
17	Body Cover Stitch	7002	7018
18	Side Fin Guide Stitch	0015	1002
19	Side Fin Tack Down	5531	1049
20	Side Fin Cover Stitch	7040	7025
21	Glitz Settings	7011	7007
22	Bead Settings in Center of Tail	7029	7041
23	Eye	7009	7001

S

CC83615 Quincy 1 of 2

Size Inches: $4.86 \le 5.44 h$

Size mm: $123.44 \mathrm{w} \ge 138.18 \mathrm{h}$ Stitch Count: 18,648



		1	S
= 1	Bottom Stripes	5833	1177
2	Bottom Stripes Outlines	7011	7007
\square 3	Bottom Fin & Face Guide Stitch	0015	1002
4	Bottom Fin & Face Tack Down	3045	1080
5	Bottom Fin & Face Cover Stitch	7025	7012
\Box 6	Lips Guide Stitch	0015	1002
7	Lips Tack Down	3045	1080
8	Lips Cover Stitch	7039	7050
 9	Top Fin & Tail Guide Stitch	0015	1002
10	Top Fin & Tail Tack Down	2830	1032
1 1	Top Fin & Tail Cover Stitch	7027	7050
1 2	Body Guide Stitch	0015	1002
1 3	Body Tack Down	2600	1255
1 4	Body Cover Stitch	7027	7050
1 5	Stripes	5833	1177
16	Stripes Outlines	7011	7007
1 7	Stripes Highlights	5912	1510
18	Eye	0132	1220
= 19	Glitz Settings on Top Fin & Tail	7009	7001
2 0	Glitz Settings on Bottom Fin & Tail	7001	7005
2 1	Registration Marks	1900	1039

CC83616 Quincy 2 of 2

Size Inches: 2.83w x 5.08h Size mm: 71.88w x 129.03h Stitch Count: 9,362

1 Registration Marks 2 Stripes 3 Stripes Outlines 4 Stripes Highlights 5 Glitz Settings

Ι S 1900 1039 5833 1177 7011 7007

1510

7005

5912

7001




CC83617 Rhonda 1 of 3

Size Inches: 4.84w x 6.96h



Stitch Count: 6,120



 1	Large Fins Guide Stitch	0015	1002
2	Large Fins Tack Down	7005	7009
3	Large Fins Details & Cover Stitch	7001	7005
□ 4	Narrow Fin Guide Stitch	0015	1002
5	Narrow Fin Tack Down	0821	1025
6	Narrow Fin Cover Stitch	7011	7007
7	Details on Tip of Narrow FIn	7001	7005
8	Glitz Settings	7009	7001
9	Registration Marks	1900	1039
1 0	Registration Marks	3611	1535

S

S

S

CC83618 Rhonda 2 of 3

Size Inches: 4.57w x 6.96h

Size mm: 116.08w x 176.78h Stitch Count: 6,843




1	Registration Marks	1900	1039
2	Large Fins Guide Stitch	0015	1002
3	Large Fins Tack Down	7005	7009
4	Large Fins Details & Cover Stitch	7001	7005
5	Narrow Fin Guide Stitch	0015	1002
6	Narrow Fin Tack Down	0821	1025
7	Narrow Fin Cover Stitch	7011	7007
8	Details on Tip of Narrow Fin	7001	7005
9	Glitz Settings	7009	7001
10	Registration Marks	3611	1535

CC83619 Rhonda 3 of 3

Size Inches: 4.91w x 5.85h Size mm: 124.71w x 148.59h

Stitch Count: 8,103



1	Registration Marks	3611	1535
\square 2	Top & Small Bottom Fin Guide Stitch	0015	1002
3	Top & Small Bottom Fin Tack Down	5220	1045
4	Top & Small Bottom Fin Cover Stitch	7032	7041
 5	Face Guide Stitch	0015	1002
6	Face Tack Down	1532	1019
7	Lips	2220	1511
8	Face Cover Stitch	7034	7042
 9	Body Guide Stitch	0015	1002
10	Body Tack Down	7005	7009
11	Body Cover Stitch	7001	7005
\square 12	Side Fin Guide Stitch	0015	1002
13	Side Fin Tack Down	5220	1045
1 4	Side Fin Cover Stitch	7032	7041
1 5	Eye	0132	1220
16	Design at Back of Body	7011	7007
1 7	Glitz Settings on Body	7052	7053
1 8	Bead Settings on Side Fin	7002	7018
19	Glitz Settings on Face & Top Fin	7030	7042

CC83620 Timothy S Size Inches: Size mm: Stitch Count: ■ 1 Fins & Tail Guide Stitch 0015 1002 4.53w x 5.40h 115.06w x 137.16h 6,417 2 Fins & Tail Tack Down 3045 1080 3 Fins & Tail Cover Stitch 7053 7050 4 Body Guide Stitch 0015 1002 5 Body Tack Down 0640 1066 6 Body Cover Stitch 7001 7005 ☐ 7 Side Fin Guide Stitch 0015 1002 8 Side Fin Tack Down 1430 1259 9 Side Fin Cover Stitch 7024 7014 ■ 10 Face Guide Stitch 0015 1002 11 Face Tack Down 0640 1066 = 12 Face Cover Stitch 7059 7007 ☐ 13 Lips Guide Stitch 0015 1002 14 Lips Tack Down 5220 1045 ■ 15 Lips Cover Stitch 7049 7025 **1**6 Eye 7021 7052 = 17 Glitz Settings on Body 7011 7007 ■ 18 Glitz Settings on Fins & Tail 7053 7050 CC83621 Uncle Don S Ĭ Size Inches: Size mm: Stitch Count: 5.04w x 5.90h 128.02w x 149.86h 6,934 1 Lips, Second Stripe, Fourth Stripe & Tail Guide Stitch 0015 1002 2 Lips, Second Stripe, Fourth Stripe & Tail Tack Down 3900 1534 3 Lips, Second Stripe, Fourth Stripe & 7016 Tail Cover Stitch 7000 4 First Stripe Guide Stitch 0015 1002 5 First Stripe Tack Down 0702 1024 6 First Stripe Cover Stitch 7001 7005 7 Center Stripe Guide Stitch 0015 1002 8 Center Stripe Tack Down 5422 1079 7018 9 Center Stripe Cover Stitch 7002 ☐ 10 Fifth Stripe Guide Stitch 0015 1002 ■ 11 Fifth Stripe Tack Down 1900 1039 7024 7014 ■ 12 Fifth Stripe Cover Stitch 13 Glitz Settings on Fifth Stripe 7030 7042 7041 ■ 14 Eye & Glitz Settings on Center Stripe 7032 CC83622 Penelope S Ι Size Inches: Size mm: Stitch Count: ■ 1 Face Guide Stitch 0015 1002 124.71w x 160.78h 4.91w x 6.33h 6.520 2 Face Tack Down 2155 1115 ☐ 3 Top Fin & Tail Guide Stitch 0015 1002 4 Top Fin & Tail Tack Down 2920 1194 ■ 5 Body Guide Stitch 0015 1002 6 Body Tack Down 2520 1109 7 Face Cover Stitch & Glitz Settings 2550 1224 2320 8 Lips 1511 9 Details on Lips 7024 7014 ☐ 10 Side & Lower Fins Guide Stitch 1002 0015 = 11 Side & Lower Fins Tack Down 1701 1246 ■ 12 Top Fin & Tail Cover Stitch 7027 7050 ■ 13 Lower Fins Cover Stitch 7004 7014 14 Body Cover Stitch 7023 7012 7014 15 Side Fin Cover Stitch 7004 16 White of Eve 0101 1071 ■ 17 Eye Detail & Lashes 0132 1220 = 18 Glitz Settings on Top Fin & Tail 7029 7041 = 19 Glitz Settings on Bottom Fin

CC83623 Karl

Size Inches: 2.89w x 6.29h

Size mm: 73.41w x 159.77h

Stitch Count: 9,241



Ι S ■ 1 Fins Guide Stitch 0015 1002 2 Fins Tack Down 2320 1511 3 Fins Cover Stitch 7024 7014 4 Belly, Head & Tail Guide Stitch 0015 1002 ■ 5 Belly, Head & Tail Tack Down 5010 1503 ☐ 6 Back Guide Stitch 0015 1002 7 Back Tack Down 2764 1031 8 Belly, Head & Tail Cover Stitch 7049 7025 9 Back Cover Stitch 2920 1194 10 Glitz Settings on Fins & Below Fin on Back 7030 7042 7053 ■ 11 Glitz Settings Below Fin on Back 7036 ■ 12 Eye & Tongue Glitz Settings 7004 7014 ■ 13 Belly, Head & Tail Bead & Glitz Settings 5005 1517

CC83624 Evan

Size Inches: 4.91w x 5.18h

Size mm: $124.71 \le 131.57 h$ Stitch Count: 5,242



Tail Guide Stitch	0015	1002
Tail Tack Down	2910	1032
Tail Cover Stitch	7027	7050
Top & Bottom Fins Guide Stitch	0015	1002
Top & Bottom Fins Tack Down	3900	1534
Top & Bottom Fins Cover Stitch	7000	7016
Top of Body Guide Stitch	0015	1002
Top of Body Tack Down	1305	1184
Top of Body Cover Stitch	7007	7011
Mouth Guide Stitch	0015	1002
Mouth Tack Down	1921	1257
Mouth Cover Stitch	7024	7014
Body Guide Stitch	0015	1002
Body Tack Down	3840	1222
Body Cover Stitch	7005	7009
Side Fin Guide Stitch	0015	1002
Side Fin Tack Down	5510	1049
Side Fin Cover Stitch	7052	7053
Glitz Setting for Eye	7012	7004
Details Around Eye	7031	7043
Glitz Settings	7041	7050
	Tail Tack Down Tail Cover Stitch Top & Bottom Fins Guide Stitch Top & Bottom Fins Tack Down Top & Bottom Fins Cover Stitch Top of Body Guide Stitch Top of Body Tack Down Top of Body Tack Down Top of Body Cover Stitch Mouth Guide Stitch Mouth Tack Down Mouth Cover Stitch Body Guide Stitch Body Tack Down Body Cover Stitch Side Fin Guide Stitch Side Fin Guide Stitch Glitz Setting for Eye Details Around Eye	Tail Tack Down 2910 Tail Cover Stitch 7027 Top & Bottom Fins Guide Stitch 0015 Top & Bottom Fins Tack Down 3900 Top & Bottom Fins Cover Stitch 7000 Top of Body Guide Stitch 0015 Top of Body Tack Down 1305 Top of Body Cover Stitch 7007 Mouth Guide Stitch 0015 Mouth Tack Down 1921 Mouth Cover Stitch 7024 Body Guide Stitch 0015 Body Tack Down 3840 Body Cover Stitch 7005 Side Fin Guide Stitch 0015 Side Fin Guide Stitch 7005 Side Fin Tack Down 5510 Side Fin Cover Stitch 7052 Glitz Setting for Eye 7012 Details Around Eye 7031

Ι

S

S

CC83625 Hank


Size Inches: $4.91 \le 6.87 h$

Size mm: 124.71w x 174.50h Stitch Count: 9,057



 1	Top Fins & Red Swoop in Body		
	Guide Stitch	0015	1002
2	Top Fins & Red Swoop in Body		
	Tack Down	2224	1190
□ 3	Body & Tail Guide Stitch	0015	1002
4	Body & Tail Tack Down	5422	1079
□ 5	Face Guide Stitch	0015	1002
6	Face Tack Down	5101	1503
7	Face Cover Stitch	7040	7025
8	Top Fins & Red Swoop in Body Cover		
	Stitch	7004	7014
9	Body Cover Stitch & Details	7002	7018
10	Flower in Center of Side Fin	7023	7012
1 1	Glitz & Bead Settings on Side Fin	7042	7014
12	Eye & Glitz Settings on Top		
	& Bottom Fins	7011	7007
1 3	Mouth	0465	1173

CC83626 Isabelle 1 of 2 Ι S Size Inches: Size mm: Stitch Count: ☐ 1 Fins Guide Stitch 4.91w x 5.91h 124.71w x 150.11h 5,268 0015 1002 2 Fins Tack Down 2224 1190 3 Fins Cover Stitch 7004 7014 4 Decorative Stitching on Fins Cover 7007 Stitch 7008 5 Bead Settings 2241 1119 6 Glitz Settings 7014 7004 7 Registration Marks 1900 1039



628	Genevieve					I	S
	Size Inches:	Size mm:	Stitch Count:				
	4.26w x 6.89h	108.20w x 175.01h	5,412	 1	Fins & Tail Guide Stitch	0015	100
		pales.	· '	2	Fins & Tail Tack Down	3040	119
		April 1		3	Fins & Tail Cover Stitch	7027	705
		11		 4	Body Guide Stitch	0015	100
		and the same		5	Body Tack Down	3040	119
		AN CONTRACTOR OF THE PARTY OF T		6	Body Cover Stitch	7039	705
		1006		7	Lips	2510	103
		£			Glitz Setting for Eye	7029	704
					Glitz Settings on Body	7031	704
	45	· N			Bead Settings on Fins	0101	107

CC83629 Frazier

Size Inches: 4.91w x 5.28h Size mm: 124.71w x 134.11h Stitch Count: 5,676



1	Top & Bottom Fins Guide Stitch	0015	1002
2	Top & Bottom Fins Tack Down	2920	1194
3	Top & Bottom Fins Cover Stitch	2905	1122
□ 4	Body Guide Stitch	0015	1002
5	Body Tack Down	4101	1094
6	Body Cover Stitch	7022	7052
 7	Side Fin & Whisker Guide Stitch	0015	1002
8	Side Fin & Whisker Tack Down	2920	1194
9	Side Fin & Whisker Cover Stitch	2905	1122
1 0	Star at Base of Tail	4103	1252
1 1	Bead Settings at Base of Tail	3900	1534
1 2	Glitz Settings on Fins	2521	1533
1 3	Eye	5510	1049

S

Ι

CC83630 Louie

Size Inches: 2.99w x 5.53h Size mm: 75.95w x 140.46h Stitch Count: 3,375




		I	S
□ 1 Bc	ottom Fin Guide Stitch	0015	1002
■ 2 Bc	ottom Fin Tack Down	3522	1076
☐ 3 Fa	ice Guide Stitch	0015	1002
4 Fa	ice Tack Down	5510	1049
☐ 5 Bc	ody Guide Stitch	0015	1002
■ 6 Bc	ody Tack Down	5610	1510
7 Bo	ottom Fin Cover Stitch	7000	7016
■ 8 Bc	ody Cover Stitch	7002	7018
☐ 9 Sic	de Fin Guide Stitch	0015	1002
= 10 Sid	de Fin Tack Down	4103	1252
== 11 Sic	de Fin Cover Stitch	7022	7052
12 Fa	ice Cover Stitch	7032	7041
13 M	outh	5555	1174
== 14 Gl	litz & Bead Settings	7023	7012
	O		

CC83631 Babs

Size Inches: 3.78w x 3.90h 96.01w x 99.06h

Stitch Count: 6,379



		-	Ü
 1	Top & Bottom Fins Guide Stitch	0015	1002
2	Top & Bottom Fins Tack Down	3900	1534
3	Top & Bottom Fins Cover Stitch	7021	7052
□ 4	Body Guide Stitch	0015	1002
5	Body Tack Down	2011	1169
6	Body Cover Stitch	1921	1257
 7	Head Guide Stitch	0015	1002
8	Head Tack Down	0702	1024
9	Side Fin Guide Stitch	0015	1002
1 0	Side Fin Tack Down	2520	1109
1 1	Head Cover Stitch	7001	7005
1 2	Side Fin Cover Stitch	7022	7052
\square 13	Tail & Front of Face Guide Stitch	0015	1002
1 4	Tail & Front of Face Tack Down	5210	1503
1 5	Tail & Front of Face Cover Stitch	7002	7018
1 6	Lips Guide Stitch	0015	1002
1 7	Lips Tack Down	1703	1037
1 8	Lips Cover Stitch	1704	1037
1 9	Glitz Settings on Side Fin	7008	7007
2 0	Glitz Settings on Tail & Bottom		
	Setting on Body	7022	7052
2 1	Bottom Double Glitz Settings on Body	7000	7016
2 2	Top Double Glitz Settings on Body	7002	7018
23	Top Glitz Setting on Body	7009	7001
24	Glitz Setting for Eye	7008	7007

CC83632 Daniel

Size Inches: 4.91w x 5.81h Size mm: 124.71w x 147.57h Stitch Count: 9,637



	I	S
1 Skinny Lines of Tail	7002	7018
2 Left Tail Fin Guide Stitch	0015	1002
3 Left Tail Fin Tack Down	2910	1032
 4 Left Tail Fin Cover Stitch 	7027	7050
5 Second Tail Fin Guide Stitch	0015	1002
6 Second Tail Fin Tack Down	1352	1259
7 Second Tail Fin Cover Stitch	1305	1184
8 Center Tail Fin Guide Stitch	0015	1002
9 Center Tail Fin Tack Down	4625	1230
10 Center Tail Fin Cover Stitch	7002	7018
☐ 11 Fourth Tail Fin Guide Stitch	0015	1002
12 Fourth Tail Fin Tack Down	1900	1039
13 Fourth Tail Fin Cover Stitch	7024	7014
☐ 14 Right Tail Fin Guide Stitch	0015	1002
15 Right Tail Fin Tack Down	3901	1534
16 Skinnny Lines of Tail	7002	7018
☐ 17 Bottom Fins Guide Stitch	0015	1002
18 Bottom Fins Tack Down	1102	1168
19 Bottom Fins Cover Stitch	7007	7011
☐ 20 Eye Patch Guide Stitch	0015	1002
21 Eye Patch Tack Down	0704	1185
22 Eye Patch Cover Stitch	0811	1137
23 Top Fin Guide Stitch	0015	1002
24 Top Fin Tack Down	3820	1028
25 Top Fin Cover Stitch	7022	7052
☐ 26 Body Guide Stitch	0015	1002
27 Body Tack Down	1902	1147
28 Body Cover Stitch	7024	7014
29 Side Fin Guide Stitch	0015	1002
30 Side Fin Tack Down	5610	1510
31 Side Fin Cover Stitch, Line Acros	s	
Body, Glitz Settings Above Tail &	ζ	
on Body	7002	7018
32 Glitz & Bead Settings on Fins	7001	7005
33 Lips	1305	1184

CC83633 Janice 1 of 4

Size Inches: 4.85w x 5.82h Size mm: 123.19w x 147.83h Stitch Count: 8,337



		1	S
□ 1 □ 2 □ 3	First & Fourth Fins Guide Stitch First & Fourth Fins Tack Down	0015 7009	1002 7001
☐ 4 ☐ 5	First & Fourth Fins Cover Stitch Second Fin Guide Stitch Second Fin Tack Down	8024 0015 3040	Jewel Tone Variegated 1002 1193
7 8	Second Fin Cover Stitch Third Fin Guide Stitch Third Fin Tack Down	3241 0015 3040	1254 1002 1193
9 10 11	Third Fin Cover Stitch Fifth Fin Guide Stitch Fifth Fin Tack Down	7039 0015 3040	7050 1002 1193
12 13 14	Fifth Fin Cover Stitch Sixth Fin Guide Stitch Sixth Fin Tack Down	7025 0015 3040	7012 1002 1193
15 16 17	Sixth Fin Cover Stitch Glitz Settings on Third & Fifth Fins Glitz Settings on Second, Fourth	3241 7028	1254 7040
= 18 = 19	& Sixth Fins Large Glitz Setting on First Fin Registration Marks	7029 7032 1900	7041 7041 1039

■ 20 Registration Marks

5422 1079

CC83634 Janice 2 of 4

Size Inches: 4.34w x 6.02h

Size mm: 110.24w x 152.91h Stitch Count: 6,513



1 Registration Marks	1900	1039
2 Smallest Fin Guide Stitch	0015	1002
3 Smallest Fin Tack Down	2764	1031
4 Smallest Fin Cover Stitch	3241	1254
5 Widest Fin Guide Stitch	0015	1002
6 Widest Fin Tack Down	3040	1193
7 Widest Fin Cover Stitch	3241	1254
■ 8 Center Fin Guide Stitch	0015	1002
9 Center Fin Tack Down	7009	7001
☐ 10 Center Fin Cover Stitch	8024	Jewel Tone Variegated
11 Cover Stitch on End of Center Fin	7039	7050
12 Glitz Settings on Widest & Center Fins	7029	7041
13 Glitz Settings on Smallest Fin	7028	7040

S

3611

Ι

Ι

S


S

CC83635 Janice 3 of 4

Size Inches: 3.77w x 6.10h

Size mm: 95.76w x 154.94h

Stitch Count: 4,833




1	Registration Marks	3611	1535
2	Narrow Fin Guide Stitch	0015	1002
3	Narrow Fin Tack Down	2764	1031
4	Narrow Fin Cover Stitch	7025	7012
5	Wide Fin Guide Stitch	0015	1002
6	Wide Fin Tack Down	2764	1031
7	Wide Fin Cover Stitch	3241	1254
8	Glitz Settings on Wide Fin	7028	7040
9	Glitz Settings on Narrow Fin	7027	7050

■ 14 Registration Marks

CC83636 Janice 4 of 4

Size Inches: 3.97w x 5.79h

Size mm: 100.84w x 147.07h Stitch Count: 8,471




		•	
1	Registration Marks	5422	1079
 2	Bottom Fin Guide Stitch	0015	1002
3	Bottom Fin Tack Down	3241	1254
4	Bottom Fin Cover Stitch	7039	7050
□ 5	Top Fin, Side Fin & Face Guide Stitch	0015	1002
6	Top Fin, Side Fin & Face Tack Down	3241	1254
\square 7	Body Guide Stitch	0015	1002
8	Body Tack Down	3241	1254
9	Top Fin Cover Stitch	7025	7012
1 0	Body Cover Stitch	3241	1254
1 1	Side Fin Cover Stitch	7025	7012
1 2	Lips	1921	1257
1 3	White of Eye	0015	1002
14	Eye & Lashes	0132	1220
15	Glitz Settings Along Center of Body	7028	7040
16	Bead Settings on Fins	7031	7043
1 7	Glitz Settings Along Top & Bottom		
	of Body	7027	7050

CC83637 Celeste

Size Inches: $4.90 \le 5.01 h$

Size mm: $124.46 \le x \ 127.25 h$ Stitch Count: 4,713



		I	S
 1	Bottom Fin Guide Stitch	0015	1002
2	Bottom Fin Tack Down	2220	1511
□ 3	Body Guide Stitch	0015	1002
4	Body Tack Down	4103	1252
 5	Side Fin Guide Stitch	0015	1002
6	Side Fin Tack Down	2220	1511
 7	Tail Guide Stitch	0015	1002
8	Tail Tack Down	3901	1534
9	Bottom Fin Cover Stitch	7004	7014
1 0	Body Cover Stitch	7000	7016
1 1	Side Fin Cover Stitch	7004	7014
1 2	Tail Cover Stitch	7021	7052
13	Eye Detail	5374	1536
1 4	Eye	7002	7018
1 5	Mouth	2500	1192
1 6	Bead & Glitz Settings on Tail & Body	4111	1095
17	Glitz Settings on Fins & Center of Body	7029	7041

CC83638 Suzette 1 of 2


Size Inches: $3.68w \times 6.80h$ Size mm: 93.47w x 172.72h Stitch Count: 4,295



	Whisker	Guide Stitch	0015	1002
	2 Whisker	Tack Down	5101	1503
	8 Whisker	Cover Stitch	7032	7041
	Fins Gu	ide Stitch	0015	1002
	Fins Tac	ek Down	1704	1037
	Fins Cov	ver Stitch	1600	1020
	Body G	uide Stitch	0015	1002
	Body Ta	ick Down	1114	1021
	Body Co	over Stitch	1300	1078
1) Mouth		1725	1081
1	Bead Ser	ttings	7007	7011
1	2 Glitz Set	tting for Eye	7009	7001
1	Registrat	tion Marks	1900	1039

CC83639 Suzette 2 of 2

Size Inches: 3.27w x 5.19h Size mm: 83.06w x 131.83h Stitch Count: 5,293



1	Registration Marks	1900	1039
2	Outer Tail Guide Stitch	0015	1002
3	Outer Tail Tack Down	1220	1238
4	Outer Tail Cover Stitch	7030	7042
5	Inner Tail Guide Stitch	0015	1002
6	Inner Tail Tack Down	4220	1095
7	Inner Tail Cover Stitch	7022	7052
8	Glitz Settings	7029	7041

S

Appliqué Instructions

- 1. After hooping your backing and background fabric, spray the back of a hooped sized piece of appliqué fabric with HRFive and apply to the background fabric in the hoop. PHOTO 1 See hint below to determine exact size.
- 2. Embroider the guide stitch. (This is noted on your thread chart.) PHOTO 2
- 3. Using small, sharp scissors carefully cut away the excess appliqué fabric around the sewn guide stitch. PHOTO 3
- 4. Embroider the tackdown. (This is noted on your thread chart.) PHOTO 4
- 5. Embroider the cover stitch. (This is noted on your thread chart.) PHOTO 5
- 6. Repeat as required to finish the design. PHOTO 6

Hints & Tips:

- When trimming excess appliqué fabric, use small, sharp scissors. Be very careful that your blade does not cut your background fabric.
- If you prefer to salvage as much of your appliqué fabric as possible, you can sew your guide stitch before placing your appliqué fabric. Cut your appliqué fabric only as big as it needs to be to cover the guide stitch and still leave enough excess to easily trim around it. At that point, back the design up and sew the guide stitch again. Cut as normal then continue on to step 4.



PHOTO - 01



PHOTO - 02



РНОТО - 03



PHOTO - 04



PHOTO - 05



PHOTO - 06


Multi-hooping Instructions

OESD has perfected the multi-hooping technique to bring you a user friendly process that will leave your friends in awe of the designs you will create. Multi-hooping can seem a bit intimidating for even a seasoned embroiderer, but if you follow the simple steps below you'll see that there is nothing that you cannot achieve with ease.

The following designs use the multi-hoop technique to create one finished design (refer to the end of this instructional section for diagrams of how the pieces fit together).



CC83601 & CC83602 (2 hoopings)




CC83617, CC83618 & CC83619 (3 hoopings)




CC83606, CC83607 & CC83608 (3 hoopings)



CC83626 & CC83627 (2 hoopings)



CC83609, CC83610, CC83611 & CC83612 (4 hoopings)



CC83633, CC83634, CC83635 & CC83636 (4 hoopings)



CC83615 & CC83616 (2 hoopings)



CC83638 & CC83639 (2 hoopings)

NOTE: The above pictures are shown without appliqué fabric.

- Foreword: There are a total of eight fish in this collection that use the multi-hoop technique. Each one will use either 2, 3 or 4 hoopings. Because the 4 hooping fish may seem the most difficult, we have chosen to give you instructions from beginning to end for one of these fish. Keep in mind that if you are sewing a fish with only two hoopings you would stop at step number 11 and if you are sewing a fish with only three hoopings you would stop at step number 19. This example uses designs CC83633, CC83634, CC83635 & CC83636.
- 1. Hoop one layer of OESD Stabil-Stick Stabilizer with the paper side up. Score the paper inside the hoop using an awl, sewing pin or similar instrument. You should score deep enough to cut the paper on top but not the stabilizer below. Score around the hoop and then make an X through it. Use the pin to lift one of the corners in the center of the X then remove the paper from the backing. PHOTO 1
- 2. Place your hoop on a flat surface and apply your background fabric to the now sticky side of the stabilizer being sure to smooth out any wrinkles. Do not stretch your fabric--it should lie in its natural state.
- 3. Place your hoop on your machine then embroider and appliqué the first section of the design. (In this example design CC83633) Note the colored X's that sew last. These are noted as registration marks on your thread chart. We have color coded the registration marks as follows to make lining up the designs a cinch:
 - The red X's denote that those X's will line up with hooping number 2
 - Blue X's will line up with hooping number 3
 - Green X's will line up with hooping number 4.
 PHOTO 2
- 4. Remove the hoop from the machine. Use a water soluble pen to mark your X's in case the stitches come out when you remove the backing.
 - Helpful Hint: To keep the X's color coded, it is suggested that you write a small letter "r" next to red X's, a small letter "b" next to the blue X's and a small letter "g" next to the green X's. This particular design contains both red and green X's in hooping number one. PHOTO 3



PHOTO - 01




PHOTO - 02



PHOTO - 03

- 5. Remove the fabric and backing from the hoop. You now want to remove the excess backing. If you are using Tear-Away, gently tear the backing away from the stitches. You should always tear parallel to the stitches, not straight up from them. If you are using cutaway, carefully cut near the stitches. Always have your fabric facing you when cutting to avoid accidentally cutting through your background fabric. Set this aside for a moment.
- 6. Hoop and score another piece of OESD Stabil-Stick Stabilizer as you did in step one.
- 7. Embroider only Color One of the second design (in this example design CC83634) directly onto just the stabilizer (no fabric). This will sew only X's that will be used to line up with your first design. PHOTO 4
- 8. Remove the hoop from the machine but DO NOT unhoop your backing. Place the hoop onto a padded, gridded, pressing board, lining up the center of the hoop with the grids on the board. PHOTO 5
- 9. Pick up the FIRST stitched design and place sewing pins directly through the centers of both of the red X's. Align these pins with the stitched red X's on the stabilizer (Second hooping). PHOTO 6
- 10. Adjust fabric so it lies flat in hoop. (Use the grids on the board to keep fabric straight and on grain.) Smooth fabric onto the stabilizer then remove pins. PHOTO 7
- 11. Put the hoop back on machine then embroider and appliqué the rest of the second design. PHOTO 8
- 12. Remove the hoop from the machine and use a water soluble pen to mark the X's just as you did in step 4. PHOTO 9
- 13. Remove the fabric from the hoop and remove the stabilizer from the fabric just as you did in step 5.

PHOTO - 04





PHOTO - 05

PHOTO - 06





PHOTO - 07

PHOTO - 08






PHOTO - 09

- 14. Hoop and score another piece of OESD Stabil-Stick Stabilizer as you did in step one.
- 15. Embroider only Color One of the third design (in this example design CC83635) directly onto just the stabilizer (no fabric). This will sew only X's that will line up with your already stitched first two designs. PHOTO 10
- 16. Remove the hoop from the machine but DO NOT unhoop your backing. Place the hoop onto a padded, gridded, pressing board, lining up the center of the hoop with the grids on the board.
- 17. Place sewing pins in the blue X's that are stitched on the portion of the two designs already stitched on the fabric. Align these pins with the registration marks stitched on the stabilizer of the THIRD hooping.
- 18. Adjust fabric so it lies flat in hoop. (Use the grids on the board to keep fabric straight and on grain.) Smooth fabric onto the stabilizer then remove pins.
- 19. Put the hoop back on machine then embroider and appliqué the rest of the third design. **PHOTO 11**
- 20. Remove the hoop from the machine and use a water soluble pen to mark the X's (if applicable) just as you did in steps 4 and 12. In this example, we marked the green X's in hooping number one therefore wedo not have X's to mark at this time.
- 21. Remove the fabric from the hoop and remove the stabilizer from the fabric just as you did in steps 5 and 13.
- 22. Hoop and score one last piece of OESD Stabil-Stick Stabilizer as you did in step one.
- 23. Embroider only Color One of the fourth design (in this example design CC83636) directly on the stabilizer (no fabric). This will sew



PHOTO - 10







PHOTO - 12

only X's that will line up with your first three designs. PHOTO 12

- 24. Remove the hoop from the machine but DO NOT unhoop your backing. Place the hoop onto a padded, gridded, pressing board, lining up the center of the hoop with the grids on the board.
- 25. Place a pin into each of the green X registration marks of the FIRST THREE hoopings and align the pins with the new marks on the stabilizer.
- 26. Adjust fabric so it lies flat in hoop. (Use the grids on the board to keep fabric straight and on grain.) Smooth fabric onto the stabilizer then remove pins. PHOTO 13
- 27. Put the hoop back on machine then embroider and appliqué the rest of the fourth design. PHOTOS 14 & 15

SMBA ©2007 Nancy H. Barrett

Hints & Tips:

- ALWAYS sew designs in the order that they are numbered. For instance, if a design has 4 hoopings, you must sew design CC83633 then CC83634 then CC83635 then CC83636 in that order.
- These georgeous fish were designed in such a
 way to be forgiving. When lining up multiple
 hoops, if you are off a small amount you'll
 probably never even notice it.
- If you do get off by an amount that is noticeable, refer to the next heading and cover your flaw with glitz or beads.

PHOTO - 13






PHOTO - 14


PHOTO - 15


QUICK REFERENCE

Red X's = hooping 2 Blue X's = hooping 3 (if necessary) Green X's = hooping 4 (if necessary)


NOTE: The following photos are shown without appliqué fabric.











©2007 Nancy H. Barrett

Fish FollieS by Nancy Barrett Glitz and Beading

We have incorporated glitz and bead settings into these fish for easy placement.

In our samples the crystals were applied using the EZ Glitzer Wand available at your local dealer or at www.EmbroideryOnline.com

Use your imagination and creativity to add glitz and beading to personalize and add sparkle to your designs.







